

January 12, 2024

John Cable
Triangle
17855 Elk Prairie Drive
P.O. Box 1026
Rolla, MO 65402
TEL: (573) 364-1864
FAX: (573) 364-4782



Illinois	100226
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: RPS-Wyman Elementary

WorkOrder: 23122010

Dear John Cable:

TEKLAB, INC received 60 samples on 12/27/2023 2:30:00 PM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Marvin L. Darling
Project Manager
(618)344-1004 ex 41
mdarling@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Quality Control Results	9
Receiving Check List	12
Chain of Custody	Appended

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

Qualifiers

- # - Unknown hydrocarbon
- C - RL shown is a Client Requested Quantitation Limit
- H - Holding times exceeded
- J - Analyte detected below quantitation limits
- ND - Not Detected at the Reporting Limit
- S - Spike Recovery outside recovery limits
- X - Value exceeds Maximum Contaminant Level
- B - Analyte detected in associated Method Blank
- E - Value above quantitation range
- I - Associated internal standard was outside method criteria
- M - Manual Integration used to determine area response
- R - RPD outside accepted recovery limits
- T - TIC(Tentatively identified compound)

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

Cooler Receipt Temp: NA °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2025	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
23122010-001A	31-A	NELAP		0.0010	< 0.0010	mg/L	1	01/08/2024 21:45	12/22/2023 12:00
23122010-002A	31-B	NELAP		0.0010	< 0.0010	mg/L	1	01/08/2024 21:19	12/22/2023 12:00
23122010-003A	32-A	NELAP		0.0010	0.0228	mg/L	1	01/08/2024 21:24	12/22/2023 12:00
23122010-004A	32-B	NELAP		0.0010	< 0.0010	mg/L	1	01/08/2024 21:28	12/22/2023 12:00
23122010-005A	33-A	NELAP		0.0010	0.0018	mg/L	1	01/08/2024 21:32	12/22/2023 12:00
23122010-006A	33-B	NELAP		0.0010	< 0.0010	mg/L	1	01/08/2024 21:37	12/22/2023 12:00
23122010-007A	34-A	NELAP		0.0010	0.0037	mg/L	1	01/08/2024 21:41	12/22/2023 12:00
23122010-008A	34-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 12:51	12/22/2023 12:00
23122010-009A	35-A	NELAP		0.0010	0.0030	mg/L	1	01/11/2024 12:55	12/22/2023 12:00
23122010-010A	35-B	NELAP		0.0010	0.0014	mg/L	1	01/11/2024 12:59	12/22/2023 12:00
23122010-011A	36-A	NELAP		0.0010	0.0033	mg/L	1	01/11/2024 13:28	12/22/2023 12:00
23122010-012A	36-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 13:03	12/22/2023 12:00
23122010-013A	37-A	NELAP		0.0010	0.0059	mg/L	1	01/11/2024 13:32	12/22/2023 12:00
23122010-014A	37-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 13:36	12/22/2023 12:00
23122010-015A	38-A	NELAP		0.0010	0.0048	mg/L	1	01/11/2024 13:40	12/22/2023 12:00
23122010-016A	38-B	NELAP		0.0010	0.0113	mg/L	1	01/11/2024 13:44	12/22/2023 12:00
23122010-017A	39-A	NELAP		0.0010	0.0068	mg/L	1	01/11/2024 13:48	12/22/2023 12:00
23122010-018A	39-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 13:52	12/22/2023 12:00
23122010-019A	40-A	NELAP		0.0010	0.0048	mg/L	1	01/11/2024 13:56	12/22/2023 12:00
23122010-020A	40-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 14:50	12/22/2023 12:00
23122010-021A	41-A	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 14:21	12/22/2023 12:00
23122010-022A	41-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 14:25	12/22/2023 12:00
23122010-023A	42-A	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 14:29	12/22/2023 12:00
23122010-024A	42-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 14:33	12/22/2023 12:00
23122010-025A	43-A	NELAP		0.0010	0.0025	mg/L	1	01/11/2024 14:38	12/22/2023 12:00
23122010-026A	43-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 14:42	12/22/2023 12:00
23122010-027A	44-A	NELAP		0.0010	0.0018	mg/L	1	01/11/2024 14:46	12/22/2023 12:00
23122010-028A	44-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 15:14	12/22/2023 12:00
23122010-029A	45-A	NELAP		0.0010	0.0012	mg/L	1	01/11/2024 15:19	12/22/2023 12:00
23122010-030A	45-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 15:23	12/22/2023 12:00
23122010-031A	46-A	NELAP		0.0010	0.0011	mg/L	1	01/11/2024 15:27	12/22/2023 12:00
23122010-032A	46-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 15:31	12/22/2023 12:00
23122010-033A	47-A	NELAP		0.0010	0.0012	mg/L	1	01/11/2024 15:35	12/22/2023 12:00
23122010-034A	47-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 15:43	12/22/2023 12:00
23122010-035A	48-A	NELAP		0.0010	0.0018	mg/L	1	01/11/2024 15:39	12/22/2023 12:00
23122010-036A	48-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 16:08	12/22/2023 12:00
23122010-037A	49-A	NELAP		0.0010	0.0010	mg/L	1	01/11/2024 16:12	12/22/2023 12:00
23122010-038A	49-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 16:16	12/22/2023 12:00
23122010-039A	50-A	NELAP		0.0010	0.0048	mg/L	1	01/11/2024 16:20	12/22/2023 12:00
23122010-040A	50-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 16:24	12/22/2023 12:00
23122010-041A	51-A	NELAP		0.0010	0.0061	mg/L	1	01/11/2024 16:28	12/22/2023 12:00
23122010-042A	51-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 16:32	12/22/2023 12:00
23122010-043A	52-A	NELAP		0.0010	0.0047	mg/L	1	01/11/2024 16:36	12/22/2023 12:00
23122010-044A	52-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 17:01	12/22/2023 12:00
23122010-045A	53-A	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 17:05	12/22/2023 12:00
23122010-046A	53-B	NELAP		0.0010	< 0.0010	mg/L	1	01/11/2024 17:09	12/22/2023 12:00
23122010-047A	54-A	NELAP		0.0010	0.0090	mg/L	1	01/11/2024 17:13	12/22/2023 12:00
23122010-048A	54-B	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 5:10	12/22/2023 12:00



Laboratory Results

<http://www.teklabinc.com/>

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
23122010-049A	55-A	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 5:14	12/22/2023 12:00
23122010-050A	55-B	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 5:18	12/22/2023 12:00
23122010-051A	56-A	NELAP		0.0010	0.0026	mg/L	1	01/10/2024 5:22	12/22/2023 12:00
23122010-052A	56-B	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 5:27	12/22/2023 12:00
23122010-053A	57-A	NELAP		0.0010	0.0022	mg/L	1	01/10/2024 5:31	12/22/2023 12:00
23122010-054A	57-B	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 5:48	12/22/2023 12:00
23122010-055A	58-A	NELAP		0.0010	0.0018	mg/L	1	01/10/2024 8:28	12/22/2023 12:00
23122010-056A	58-B	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 11:01	12/22/2023 12:00
23122010-057A	59-A	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 9:26	12/22/2023 12:00
23122010-058A	59-B	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 10:32	12/22/2023 12:00
23122010-059A	60-A	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 10:36	12/22/2023 12:00
23122010-060A	60-B	NELAP		0.0010	< 0.0010	mg/L	1	01/10/2024 10:40	12/22/2023 12:00



Quality Control Results

<http://www.teklabinc.com/>

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)

Batch 216721		SampType: MBLK		Units mg/L						
SampID: MBLK-216721										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/2024

Batch 216721		SampType: LCS		Units mg/L						
SampID: LCS-216721										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead		0.0010		0.0477	0.0500	0	95.4	85	115	01/05/2024

Batch 216721		SampType: MS		Units mg/L						
SampID: 23122009-060AMS										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead		0.0010		0.0842	0.1000	0.0008224	83.4	70	130	01/08/2024

Batch 216721		SampType: MSD		Units mg/L						
SampID: 23122009-060AMSD										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lead		0.0010		0.0904	0.1000	0.0008224	89.6	0.08425	7.08	01/08/2024

Batch 216721		SampType: MS		Units mg/L						
SampID: 23122010-001AMS										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead		0.0010		0.0805	0.1000	0.0005122	80.0	70	130	01/08/2024

Batch 216721		SampType: MSD		Units mg/L						
SampID: 23122010-001AMSD										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lead		0.0010		0.0755	0.1000	0.0005122	75.0	0.08055	6.42	01/08/2024

Batch 216722		SampType: MBLK		Units mg/L						
SampID: MBLK-216722										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/10/2024

Batch 216722		SampType: LCS		Units mg/L						
SampID: LCS-216722										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead		0.0010		0.0535	0.0500	0	106.9	85	115	01/10/2024



Quality Control Results

<http://www.teklabinc.com/>

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)

Batch 216722		SampType: MS		Units mg/L							
SampID: 23122010-012AMS											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010	E	0.125	0.1000	0.0003688	125.1	70	130	01/11/2024	

Batch 216722		SampType: MSD		Units mg/L							
SampID: 23122010-012AMSD											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed	
Lead		0.0010	E	0.128	0.1000	0.0003688	127.3	0.1254	1.80	01/11/2024	

Batch 216722		SampType: MS		Units mg/L							
SampID: 23122010-020AMS											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010	E	0.126	0.1000	0.0009141	125.5	70	130	01/11/2024	

Batch 216722		SampType: MSD		Units mg/L							
SampID: 23122010-020AMSD											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed	
Lead		0.0010	E	0.123	0.1000	0.0009141	121.8	0.1264	3.02	01/11/2024	

Batch 216723		SampType: MBLK		Units mg/L							
SampID: MBLK-216723											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/10/2024	

Batch 216723		SampType: LCS		Units mg/L							
SampID: LCS-216723											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010		0.0535	0.0500	0	106.9	85	115	01/10/2024	

Batch 216723		SampType: MS		Units mg/L							
SampID: 23122010-034AMS											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010	E	0.125	0.1000	0.0003411	124.9	70	130	01/11/2024	

Batch 216723		SampType: MSD		Units mg/L							
SampID: 23122010-034AMSD											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed	
Lead		0.0010	E	0.126	0.1000	0.0003411	125.4	0.1252	0.39	01/11/2024	



Quality Control Results

<http://www.teklabinc.com/>

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)

Batch 216723		SampType: MS		Units mg/L							
SampID: 23122010-043AMS											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010	E	0.128	0.1000	0.004657	123.5	70	130	01/11/2024	

Batch 216723		SampType: MSD		Units mg/L							
SampID: 23122010-043AMSD											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed	
Lead		0.0010	E	0.129	0.1000	0.004657	124.8	0.1281	1.02	01/11/2024	

Batch 216725		SampType: MBLK		Units mg/L							
SampID: MBLK-216725											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/2024	

Batch 216725		SampType: LCS		Units mg/L							
SampID: LCS-216725											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010		0.0477	0.0500	0	95.4	85	115	01/05/2024	

Batch 216725		SampType: MS		Units mg/L							
SampID: 23122010-056AMS											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010		0.0925	0.1000	0.0002957	92.2	70	130	01/10/2024	

Batch 216725		SampType: MSD		Units mg/L							
SampID: 23122010-056AMSD											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed	
Lead		0.0010		0.0854	0.1000	0.0002957	85.1	0.09254	7.97	01/10/2024	

Batch 216725		SampType: MS		Units mg/L							
SampID: 23122012-003AMS											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed	
Lead		0.0010		0.0985	0.1000	0.0003559	98.1	70	130	01/10/2024	

Batch 216725		SampType: MSD		Units mg/L							
SampID: 23122012-003AMSD											
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed	
Lead		0.0010		0.0978	0.1000	0.0003559	97.4	0.09845	0.67	01/10/2024	



Receiving Check List

<http://www.teklabinc.com/>

Client: Triangle

Work Order: 23122010

Client Project: RPS-Wyman Elementary

Report Date: 12-Jan-24

Carrier: John Cable

Received By: LEH

Completed by:

Mary E. Kemp

Reviewed by:

Ellie Hopkins

On:

On:

28-Dec-23

28-Dec-23

Mary E Kemp

Ellie Hopkins

Pages to follow: Chain of custody

Extra pages included

- | | | | | |
|---|--|------------------------------|--|----------------------------------|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> | Temp °C NA |
| Type of thermal preservation? | None <input checked="" type="checkbox"/> | Ice <input type="checkbox"/> | Blue Ice <input type="checkbox"/> | Dry Ice <input type="checkbox"/> |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |
| Reported field parameters measured: | Field <input type="checkbox"/> | Lab <input type="checkbox"/> | NA <input checked="" type="checkbox"/> | |
| Container/Temp Blank temperature in compliance? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | | |

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

- | | | | |
|---|---|-----------------------------|---|
| Water – at least one vial per sample has zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No VOA vials <input checked="" type="checkbox"/> |
| Water - TOX containers have zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No TOX containers <input checked="" type="checkbox"/> |
| Water - pH acceptable upon receipt? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| NPDES/CWA TCN interferences checked/treated in the field? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

CHAIN OF CUSTODY

TEKLAB INC. 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: <u>TRIANGLE ENVIRONMENTAL SCIENCE AND ENGINEERING</u> Address: <u>PO BOX 1026</u> City/State/Zip: <u>ROLLA, MO 65402</u> Contact: <u>JOHN CABLE</u> Phone: <u>573 308 0140</u> Email: <u>TRIANGLE.ENVIRONMENTAL</u> Fax: <u>@GMAIL.COM</u>				Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input checked="" type="checkbox"/> NO ICE <u>NA</u> °C Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <u>FOR LAB USE ONLY</u> LAB NOTES:			
Are these samples known to be involved in litigation? If yes, a surcharge will apply: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Client Comments:			
PROJECT NAME/NUMBER <u>RPS-Wyman Elementary</u>		SAMPLE COLLECTOR'S NAME JOHN W CABLE		# and Type of Containers		INDICATE ANALYSIS REQUESTED	
RESULTS REQUESTED <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		BILLING INSTRUCTIONS TRIANGLE		UHP HNO3 NaOH H2SO4 HCL MeOH NaHSO4 TSP Other <u>LEAD</u>			
Lab Use Only	Sample ID	Date/Time Sampled	Matrix				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
			Drinking Water				
Relinquished By		Date/Time		Received By		Date/Time	
JOHN W CABLE <u>John W. Cable</u>		<u>12/27/23 @ 1430</u>		<u>Laura Hanson</u>		<u>12/27/23 1430</u>	

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

Wyman

23121996
23122010

TE
MEK
12/28/23

24-B	DRINKING WATER	LEAD	12/22/23 @ 1200
25-A	DRINKING WATER	LEAD	12/22/23 @ 1200
25-B	DRINKING WATER	LEAD	12/22/23 @ 1200
26-A	DRINKING WATER	LEAD	12/22/23 @ 1200
26-B	DRINKING WATER	LEAD	12/22/23 @ 1200
27-A	DRINKING WATER	LEAD	12/22/23 @ 1200
27-B	DRINKING WATER	LEAD	12/22/23 @ 1200
28-A	DRINKING WATER	LEAD	12/22/23 @ 1200
28-B	DRINKING WATER	LEAD	12/22/23 @ 1200
29-A	DRINKING WATER	LEAD	12/22/23 @ 1200
29-B	DRINKING WATER	LEAD	12/22/23 @ 1200
30-A	DRINKING WATER	LEAD	12/22/23 @ 1200
30-B	DRINKING WATER	LEAD	12/22/23 @ 1200
31-A	DRINKING WATER	LEAD	12/22/23 @ 1200
31-B	DRINKING WATER	LEAD	12/22/23 @ 1200
32-A	DRINKING WATER	LEAD	12/22/23 @ 1200
32-B	DRINKING WATER	LEAD	12/22/23 @ 1200
33-A	DRINKING WATER	LEAD	12/22/23 @ 1200
33-B	DRINKING WATER	LEAD	12/22/23 @ 1200
34-A	DRINKING WATER	LEAD	12/22/23 @ 1200
34-B	DRINKING WATER	LEAD	12/22/23 @ 1200
35-A	DRINKING WATER	LEAD	12/22/23 @ 1200
35-B	DRINKING WATER	LEAD	12/22/23 @ 1200
36-A	DRINKING WATER	LEAD	12/22/23 @ 1200
36-B	DRINKING WATER	LEAD	12/22/23 @ 1200
37-A	DRINKING WATER	LEAD	12/22/23 @ 1200
37-B	DRINKING WATER	LEAD	12/22/23 @ 1200
38-A	DRINKING WATER	LEAD	12/22/23 @ 1200
38-B	DRINKING WATER	LEAD	12/22/23 @ 1200
39-A	DRINKING WATER	LEAD	12/22/23 @ 1200
39-B	DRINKING WATER	LEAD	12/22/23 @ 1200
40-A	DRINKING WATER	LEAD	12/22/23 @ 1200
40-B	DRINKING WATER	LEAD	12/22/23 @ 1200
41-A	DRINKING WATER	LEAD	12/22/23 @ 1200
41-B	DRINKING WATER	LEAD	12/22/23 @ 1200
42-A	DRINKING WATER	LEAD	12/22/23 @ 1200
42-B	DRINKING WATER	LEAD	12/22/23 @ 1200
43-A	DRINKING WATER	LEAD	12/22/23 @ 1200
43-B	DRINKING WATER	LEAD	12/22/23 @ 1200
44-A	DRINKING WATER	LEAD	12/22/23 @ 1200
44-B	DRINKING WATER	LEAD	12/22/23 @ 1200
45-A	DRINKING WATER	LEAD	12/22/23 @ 1200
45-B	DRINKING WATER	LEAD	12/22/23 @ 1200
46-A	DRINKING WATER	LEAD	12/22/23 @ 1200
46-B	DRINKING WATER	LEAD	12/22/23 @ 1200
47-A	DRINKING WATER	LEAD	12/22/23 @ 1200
47-B	DRINKING WATER	LEAD	12/22/23 @ 1200

23122010-001

002
003
004
005
006
007
008
009
010
011
012
013
014
015
016
017
018
019
020
021
022
023
024
025
026
027
028
029
030
031
032
033
034

Wyman

~~2312199~~ TE
MEK
23122010 12/28/23

48-A	DRINKING WATER	LEAD	12/22/23 @ 1200	23122010-035
48-B	DRINKING WATER	LEAD	12/22/23 @ 1200	036
49-A	DRINKING WATER	LEAD	12/22/23 @ 1200	037
49-B	DRINKING WATER	LEAD	12/22/23 @ 1200	038
50-A	DRINKING WATER	LEAD	12/22/23 @ 1200	039
50-B	DRINKING WATER	LEAD	12/22/23 @ 1200	040
51-A	DRINKING WATER	LEAD	12/22/23 @ 1200	041
51-B	DRINKING WATER	LEAD	12/22/23 @ 1200	042
52-A	DRINKING WATER	LEAD	12/22/23 @ 1200	043
52-B	DRINKING WATER	LEAD	12/22/23 @ 1200	044
53-A	DRINKING WATER	LEAD	12/22/23 @ 1200	045
53-B	DRINKING WATER	LEAD	12/22/23 @ 1200	046
54-A	DRINKING WATER	LEAD	12/22/23 @ 1200	047
54-B	DRINKING WATER	LEAD	12/22/23 @ 1200	048
55-A	DRINKING WATER	LEAD	12/22/23 @ 1200	049
55-B	DRINKING WATER	LEAD	12/22/23 @ 1200	050
56-A	DRINKING WATER	LEAD	12/22/23 @ 1200	051
56-B	DRINKING WATER	LEAD	12/22/23 @ 1200	052
57-A	DRINKING WATER	LEAD	12/22/23 @ 1200	053
57-B	DRINKING WATER	LEAD	12/22/23 @ 1200	054
58-A	DRINKING WATER	LEAD	12/22/23 @ 1200	055
58-B	DRINKING WATER	LEAD	12/22/23 @ 1200	056
59-A	DRINKING WATER	LEAD	12/22/23 @ 1200	057
59-B	DRINKING WATER	LEAD	12/22/23 @ 1200	058
60-A	DRINKING WATER	LEAD	12/22/23 @ 1200	059
60-B	DRINKING WATER	LEAD	12/22/23 @ 1200	060
61-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
61-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
62-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
62-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
63-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
63-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
64-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
64-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
65-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
65-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
66-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
66-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
67-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
67-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
68-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
68-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
69-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
69-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
70-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
70-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
71-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
71-B	DRINKING WATER	LEAD	12/22/23 @ 1200	

